L Number	Hits	Search Text	DB	Time stamp
1	10147	((index or tree or (hash adj table)) near3	USPAT;	2004/09/08 16:14
		(search\$3 or quer\$5))	US-PGPUB;	
			IBM_TDB	
2	4582	((index or tree or (hash adj table)) near3	USPĀT;	2004/09/08 16:14
		updat\$3)	US-PGPUB;	
		_	IBM_TDB	
3	1416	((index or tree or (hash adj table)) near3	USPAT;	2004/09/08 16:14
		(search\$3 or quer\$5)) and ((index or tree	US-PGPUB;	
	00601	or (hash adj table)) near3 updat\$3)	IBM_TDB USPAT;	2004/09/08 16:16
4	20621	(two near3 (index or tree or (hash adj	US-PGPUB;	2004/09/08 16:16
		table)))	IBM TDB	
5	463	(two near3 (index or tree or (hash adj	USPAT;	2004/09/08 16:19
,	405	table))) and ((index or tree or (hash adj	US-PGPUB;	2004,03,00 10.13
		table)) near3 (search\$3 or quer\$5)) and	IBM TDB	
		((index or tree or (hash adj table)) near3	_	
		updat\$3)		
9	318	(two near3 (index or tree or (hash adj	USPAT;	2004/09/08 16:20
		table))) and ((index or tree or (hash adj	US-PGPUB;	
		table)) near3 (search\$3 or quer\$5)) and	IBM_TDB	
		((index or tree or (hash adj table)) near3	_	
		updat\$3) and (@ad<20010103)		
10	10	(two near3 (index or tree or (hash adj	USPAT;	2004/09/08 16:20
		table))) and (one near3 (index or tree or	US-PGPUB;	
ì		(hash adj table)) near3 (search\$3 or	IBM_TDB	
		quer\$5)) and (one near3 (index or tree or		
		(hash adj table)) near3 updat\$3) and		
11	2	(@ad<20010103) (two near3 (index or tree or (hash adj	USPAT;	2004/09/08 16:21
11	2	table))) same ((one or single) near3 copy	US-PGPUB;	2004/03/00 10.21
]	near3 data\$7) and (@ad<20010103)	IBM TDB	
12	l 0	((two near3 (index or tree or (hash adj	USPAT;	2004/09/08 16:22
		table))) same ((one or single) near3 copy	US-PGPUB;	
		near3 data\$7)) and ((index or tree or	IBM_TDB	
		(hash adj table)) near3 (search\$3 or	_	
		quer\$5)) and ((index or tree or (hash adj		
		table)) near3 updat\$3) and (@ad<20010103)		
19	36	(two with (identical or cop\$3) with (tree	USPAT;	2004/09/08 16:28
		or database or index)) and ((search\$3 or	US-PGPUB;	
		read\$3) with (first or second) with (tree	IBM_TDB	
		or database or index)) and ((updat\$3 or writ\$3) with (first or second) with (tree		
		or database or index)) and (@ad<20010103)		
_	424		USPAT;	2004/09/08 16:15
	123	or database)	US-PGPUB;	
		02 3333337	IBM TDB	
-	22	(two with (identical or cop\$3) with (tree	USPĀT;	2004/09/08 16:27
		or database)) and ((search\$3 or read\$3)	US-PGPUB;	
	1	with (first or second) with (tree or	IBM_TDB	
	1	database)) and ((updat\$3 or writ\$3) with		
		(first or second) with (tree or database))		0000/10/10 00 00
-	202	(database with (btree or (b adj tree)))	USPAT;	2002/12/12 09:22
1	1		US-PGPUB;	
	101	//database with /htms or /h adi tros\\\\	IBM_TDB USPAT;	2002/12/12 09:23
-	101	((database with (btree or (b adj tree)))) and ((fast\$3 or eas\$3) with (access\$3 or	US-PGPUB;	2002/12/12 03:23
		quer\$4 or search\$3 or updat\$3))	IBM TDB	
_	74	(((database with (btree or (b adj tree))))	USPAT;	2002/12/12 09:24
-	'4	and ((fast\$3 or eas\$3) with (access\$3 or	US-PGPUB;	
1		quer\$4 or search\$3 or updat\$3))) and	IBM TDB	
		707/\$.ccls. not (internation\$).as.		
_	170	((updat\$3 or writ\$3) with lock\$3 with	USPAT;	2002/12/12 10:54
		database) and 707/\$.ccls. not	US-PGPUB;	
		(international\$).as.	IBM_TDB	
-	41		USPAT;	2002/12/12 10:55
1		database) same (releas\$3 with lock\$3)) and	US-PGPUB;	
		707/\$.ccls. not (international\$).as.	IBM_TDB	2002/05/20 20 62
-	592		USPAT;	2003/05/29 18:09
		copies) with index	US-PGPUB;	
L	l	<u> </u>	IBM TDB	L

_	8	((two or mulitiple) with (identical or copies) with index) and serializ\$7	USPAT; US-PGPUB;	2003/05/29 18:09
_	32		<pre>IBM_TDB USPAT;</pre>	2003/05/29 18:12
	52	copies) with index) and 707/\$.ccls. and	US-PGPUB;	2003/03/23 10:12
_	0	(++++++++++++++++++++++++++++++++++++++	IBM_TDB USPAT;	2003/05/23 20:43
		retriev\$3 with updat\$3) and (@ad<20010103)	US-PGPUB; IBM TDB	
-	73	((two or mulitiple) with (identical or copies) with index) and synchroniz\$7	USPAT; US-PGPUB;	2003/05/29 18:13
			IBM_TDB	
-	1081	(two or mulitiple) with (identical or copies or tree) with (index or pointer)	USPAT; US-PGPUB;	2003/05/23 20:55
	23		IBM_TDB USPAT;	2003/05/29 18:16
	23	copies or tree) with (index or pointer))	US-PGPUB;	2003/03/23 10:10
_	170862	and serializ\$7 ((read\$3 or retriev\$3) same (writ\$3 or	IBM_TDB USPAT;	2003/05/23 21:13
		updat\$3 or delet\$3)) and (@ad<20010103)	US-PGPUB; IBM TDB	
-	12672	(two same (tree or table or database or	USPĀT;	2003/05/23 21:20
		copy) same (index or pointer)) and (@ad<20010103)	US-PGPUB; IBM_TDB	
-	5611	((two same (tree or table or database or copy) same (index or pointer)) and	USPAT; US-PGPUB;	2003/05/23 21:20
		(@ad<20010103)) and (((read\$3 or retriev\$3) same (writ\$3 or updat\$3 or	IBM_TDB	
		delet\$3)) and (@ad<20010103))	_	
-	3002	(two with (tree or table or database or copy) with (index or pointer)) and	USPAT; US-PGPUB;	2003/05/23 21:20
	1483	(@ad<20010103) ((two with (tree or table or database or	IBM_TDB USPAT;	2003/05/23 21:21
	1405	copy) with (index or pointer)) and	US-PGPUB;	2003/03/23 21:21
		(@ad<20010103)) and (((read\$3 or retriev\$3) same (writ\$3 or updat\$3 or	IBM_TDB	
_	1153	delet\$3)) and (@ad<20010103)) (data adj store).ab. and (data adj store)	USPAT;	2004/04/12 15:27
			US-PGPUB; IBM TDB	
_	1	"20020004799"	USPĀT;	2004/04/12 16:32
			US-PGPUB; IBM_TDB	
1	1	"20020087564"	USPAT; US-PGPUB;	2004/04/12 17:28
		6277050 pp. or 6100060 pp	IBM_TDB	2004/04/12 17:28
2	2	6377959.pn. or 6199069.pn.	USPAT; US-PGPUB;	2004/04/12 17:20
3	4670	(two with (identical or cop\$3 or "same")	IBM_TDB USPAT;	2004/04/12 17:50
		with (tree\$2 or database\$2 or data or pointer\$2 or index\$3)) and ((search\$3 or	US-PGPUB; IBM TDB	
		read\$3) with (first or second) with (tree	-5155	
		or database or data or pointer or index)) and ((updat\$3 or writ\$3) with (first or	ŀ	
		second) with (tree or database or data or pointer or index)) and (@ad<20010103)		
4	197	(two with (identical or cop\$3 or "same") with (tree\$2 or pointer\$2 or index\$3)) and	USPAT; US-PGPUB;	2004/04/12 17:51
		((search\$3 or read\$3) with (first or	IBM_TDB	
		second) with (tree or pointer or index)) and ((updat\$3 or writ\$3) with (first or		
		second) with (tree or pointer or index)) and (@ad<20010103)		
		<u>, ,</u>		·